



SEED SCIENCE AND TECHNOLOGY,

भा. कृ. अ. प. भारतीय कृषि अनुसन्धान संस्थान

ICAR-INDIA AGRICULTURAL RESEARCH INSTITUTE, NEW DELHI - 110012



F.N.SST/-80 degree deep freezer/2018-19

Dated: 1.12.2018

Tender Notice 2018_DARE_413673_1

Sub: Purchase of Specification for -80 degree Deep Freezer with accessories

Online tenders are invited by the Head, Division of Seed Science and Technology from reputed Manufacture/Dealer/Supplier in two-bid system (Technical bid & Financial bid) for the following items/ services on behalf of Director ICAR-Indian Agricultural Research Institute, New Delhi. The last date for submission of Bid is on **at 26.12.2018 1.00PM**. The bid will be opened on **at 27.12.2018 3.00 PM** in this Division of Genetics IARI New Delhi-12 by the prescribed committee.

Please visit www.iari.res.in for Details Rules and Regulation and Log on www.eprocure.gov.in for online tender submission.

S. N.	Description of item	Qty.	Earnest Money (Rs.)
1	-80 degree Deep Freezer with accessories	one	12000.00

Instructions to the bidder and terms & conditions of tender:

1. The rates quoted shall be valid for a minimum period of 180 days from the last date fixed for submission of bid.
2. The rates quoted in INR shall be free of cost delivery and installation at the **Division of Seed Science and Technology, IARI, New Delhi – 110012**. However, equipment quoted in foreign currency must be quoted on FOB as well as in CIP basis
3. Indigenous equipment maybe quoted in INR only. However, imported equipment maybe quoted in foreign currency on FOB basis showing price up to CIF. If firm fails to quote the rates accordingly, the tender will liable to be rejected.
4. In case, LC is opened for purchase of Foreign equipment all charges outside India will be borne by the firm.
5. Custom Duty Exemption Certificate (CDEC) will be issued only when the bid is quoted in foreign currency in case of foreign made items only and meant for IARI
6. Full specifications of the item/article quoted for shall be given in the quotation.
7. If taxes, duties or any other charges over and above the rates quoted leveable, actual percentage of such taxes/duties/other charges should be clearly indicated.
8. EMD as mentioned above should be in the form of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee from commercial bank drawn in favour of Director, IARI payable at New Delhi. The original EMD should be submitted offline to the Tender Inviting Authority on or before the last date and time of bid submission. The details of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee physically sent, should tally with the details available in the scan copy and the data entered during the bid submission time otherwise the uploaded bid will be rejected.

9. The EMD shall be refunded to the unsuccessful bidders after finalization of the quotation. In case of successful bidder, it can be adjusted towards security deposit which is 5-10% of the order value in the form of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee from commercial bank drawn in favour of Director, IARI payable at New Delhi and shall remain valid for 60 days beyond the date of completion of all contractual obligation of supplier including warranty obligation for the equipment/goods costing Rs.1.00 lakhs (Rs. One Lakh) or more. However, there would be no performance security deposit for equipment/goods costing less than Rs. 1.00 lakh (Rs. One Lakh).
10. One-year warranty has to be invariable provided on the equipment/items by the firm. In case, there is any variation in the warranty period given in tender while mentioning the specification of the item/equipment, the warranty period shall be the final as given in the specification.
11. Payment will be made by mode of e-payment to the supplier/firm after satisfactory completion of work and receipt of pre-receipt bills triplicate.
12. The Director IARI, New Delhi reserves the right to accept or reject any or all the quotations either in full or in parts without assigning any reason.
13. TIN/VAT/PAN/C.S.T. Nos. Scanned copy of TIN/VAT/PAN/C.S.T. Nos may be attached with the bid.
14. In case, any dispute arising out of this contract shall be subject to the jurisdiction of Indian laws & Court at New Delhi. Sole arbitrator is appointed by the Secretary, ICAR, New Delhi. His decision will be final and binding on both parties (Supplier and Purchaser)
15. The successful bidder has to execute the indented Job/Work as mentioned in the supply order placed with them within the stipulated period as given in the supply order placed by this office failing which 2% per week and maximum of 10% deduction as liquidated damage charges will be made from the bill in case the job is not completed within the given stipulated period.
16. Firms should 3 years' experience in this line, proof should be enclosed.
17. Quotations not complying with the above conditions are liable to be rejected.

(Laxman Singh)
Admin Officer
011-25843811

Copy: to in- charge AKMU to up load at IARI website

Proforma for Technical bid Specification for -80 degree Deep Freezer with accessories

<p align="center">Specification of Specification for -80 degree Deep Freezer with accessories</p>	<p>Whether Complied With YES/ NO</p>	<p>If yes, please attach Tech literature of the equipment duly printed & clearly specify page No of Bulletin which specifically confirm this</p>
<ol style="list-style-type: none"> 1. Capacity-400-450L; Vertical type with 3-4 multiple compartments; Individual insulated doors and with extra storage box for storing culture vials. 2. The freezer must be constructed using 1” thick vacuum panel insulation in conjunction with environmentally-friendly water blown foam. 3. Door Gasket must provide 7 independent insulation zones along with 4 points of contact to ensure sample security. 4. Door latch allows one-handed opening and closing. Handle must include door key lock as well as padlock provision for added security. 5. Freezer shall have four internal storage compartments with polystyrene insulated inner doors to ensure sample security. 6. Inner doors should have no latches or external magnets and must be removable for easy cleaning without the use of tools. 7. Freezer the door must open at least 180 degrees for easy sample access. 8. Freezer shall have and energy savings operation mode that can be activated by the user without affecting power to the freezer. 9. Power management system shall show incoming line voltage indicate low or high line voltage and provide voltage correction of up to +/- 10% of rating. Line voltage should be logged for a period of up to 10-15 years and be downloadable via a USB port. 10. Freezer shall have adjustable power recovery time delay that allows user to set a time delay between 0.1 and 30 minutes after power failure. 11. Freezer shall control temperature to within an average peak variation from set point of +5.6°C 		

<p>/-6.4°C at a -80C set point in an empty freezer. Supplier must provide test data verify freezer performance.</p> <p>12. Empty freezer shall recover from door opening to -75°C set point in under 30-40 minutes. Supplier must provide test data verify freezer performance.</p> <p>13. Empty freezer should not warm to -50°C from -80°C set point in under 200 minutes during a power failure in a 25°C room</p> <p>14. Freezer must be built to and contain the registration mark for UL, CUL, and CE standards for safety and performance.</p> <p>15. Freezer must be listed as a class 1 FDA medical device</p> <p>16. System must have digital control panel – displaying all information warnings and audible and visible alarm for the system</p> <p>17. With suitable stabilizer 5 -7 KVA and power supply of 230 Volt</p> <p>18. 5 Years warranty on compressor and overall Warranty: - 2 year from the date of installation</p> <p>19. Optional feature for Wireless data monitoring on computer and mobile APP for the freezer alert facility should be quoted for future up gradation</p>		
<p>1. Are you registered with TAN, PAN and VAT/CST/LST Deptt., if yes please mentioned all the details and attached copy of the Same.</p>	<p>Yes/No</p>	<p>PAN No. TAN No. VAT No.</p>
<p>2. Have you deposited EMD /- Original EMD is to be submitted to the Admn. Officer, Genetics before closing date of tender (refer condition No. 8)</p>	<p>Yes/No</p>	<p>Amount..... DDNo/FDR/BG No.... Name of Bank.....</p>
<p>3. Have you enclosed latest authorization certificate resting with sufficient validity period from manufacturer/Principal foreign firm</p>	<p>Yes/No</p>	<p>Enclose copy</p>
<p>4. Have you ever been debarred/ Black listed by the Govt. deptt./Court of law for doing any business in India attach self-declaration certificate in this regard</p>	<p>Yes/No</p>	<p>Enclose copy</p>

We certify that Equipment being offered by us under this tender meets all the above requirements. Concealing of any fact regarding specification of equipment being offer will liable to reject our tender. We accept the terms and conditions of the tender indicated there in.

Signature of renderers with office seal