

अनुरक्षण एवं अभियांत्रिकी इकाई MAINTENANCE & ENGINEERING UNIT भाकृअनुप-भारतीय कृषि अनुसंधान संस्थान ICAR-INDIAN AGRICULTURAL RESEARCH INSTITUTE नई दिल्ली-१२ NEW DELHI-12.



Dated: 30-07.2024

No. 33-16/24-25/ME Unit

e-TENDER NOTICE

Online quotation are hereby invited on behalf of the Director, IARI from the Contractors Registered with CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt. The contractor must have valid PAN and GST registration number and having experience of two similar nature of works in last three years for the work mentioned below:

Name of work & location	Estimated cost (₹)	Earnest Money (₹)	Last date & time of bid	Date & time of bid	
Misc. repair in honey bee lab, division of Entomology at IARI PUSA, New Delhi-12.	cost (x) Wholey (x)	wioney (x)	submission	opening	
	₹ 6,64,888.00	₹ 13,500.00	Upto14:30	24.09.2024	
			hours	at15:00 hours	
			23.09.2024		

₹ 13,500/- (Rupees Thirteen Thousand Five Hundred Only) should be in the form of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee from commercial bank drawn in favour of Director, IARI payable at New Delhi. The original EMD shall be submitted to the Tender Inviting Authority on or before the last date and time of online bid submission. The details of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee physically sent, should tally with the details available in the scan copy and the data entered during the online bid submission time otherwise the uploaded bid will be rejected.

The Online Tender Documents are available on IARI Website www.iari.res.in. & Central Portal www.eprocure.gov.in. Bids are to be submitted on central portal i.e. www.eprocure.gov.in.

Admn. Officer (Works)

				33-16/2	4-25/MEU
	Misc. repair in honey bee lab, division of Entomology at IARI PUSA, New Delhi-	12.			
S.No.	Particular	Qty	Unit	Rate	Amount
1	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of				
	rubbish to the dumping ground within 50 metres lead.		sqm	54.65	8198
2	Supplying chemical emulsion in sealed containers including delivery as specified.	20	lit.	234.75	4695
3	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of				
	chemical emulsion) : Chlorpyriphos emulsifiable concentrate of 20%				
	Treatment of existing masonry using chemical emulsion @ one litre per hole at 300 mm interval including drilling				
	holes at 45 degree and plugging them with cement mortar 1:2 (1 cement : 2 coarse sand) to the full depth of the				
	hole: With Chlorpyriphos E.C. 20% with 1% concentration	100	Rm	43.00	4300
4	Cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement. 12 mm				
	cement plaster	50	sqm	449.55	22478
5	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the				
	manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of				
	any size as approved by Engineer-in-Charge, in skirting, risers of stepsand dados, over 12 mm thick bed of cement				
	mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in				
	white cement mixed with pigment of matching shade complete.	150	sqm	1267.95	190193
6	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry				
	mixed with water proofing cement compound consisting of applying :				
	(a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm.				
	This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with				
	water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with				
	water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners,				
	junctions of pipes and masonry with polymer mixed slurry. Note:- Payment for removing tile chips and cleaning				
	cement mortar over the existing roof as per the direction of engineer-in-charge shall be including.				
	g.	50	sqm	617.05	30853
7	Providing and fixing hard drawn steel wire fabric of size 75 x25 mm mesh or other suitable size wire mesh to be		-4	017.03	- 55555
-	fixed & firmly anchored to the concrete surface by means of "L" shaped mild steel shear key welded with existing				
	reinforcement including the cost of materials, labour, tool & plants as approved by Engineer-in-charge.				
	- Emergence of English in Charge.	50	sqm	902.55	45128
8	Grading roof for water proofing treatment with Cement mortar 1:4 (1cement : 4 coarse sand)		cum	15155.60	

9	Supplying of waterproofing chemical of approved brand, as per the direction of engineer-in-charge.	10	lit.	300	3000
10	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down				
	gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :In 75x75 mm				
	deep chase	45	Rm	305.15	13732
11	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting,				
	hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with				
	special shaped washers etc. complete.Hot finished welded type tubes	150	kg	194.40	29160
12	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended				
	on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/sqm, both side				
	inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm				
	made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm				
	made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to				
	form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick				
	(minimum) sheet to be interlocked at middle of the				
	1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles				
	of approved texture in the grid including, required cutting/making, opening for services				
	like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling				
	using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash				
	fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200				
	mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with				
	polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
13	12.5 mm thick fully Perforated Gypsum Board tile made from plasterboard having glass fibre conforming to IS:				
	2095 part I, of size 595x595 mm, having perforation of 9.7x9.7 mm at 19.4 mm c/c with center borders of 48 mm				
	and the side borders of 30 mm, backed with non woven tissue on the back side, having an NRC (Noise Reduction				
	Coefficient) of 0.79, with 50 mm resin bonded glass wool backing.	40	sqm	1528.00	61120

	TOTAL				664888
	Engineer-in-charge.	2	trip	3000.00	6000
	capacity, including loading, transporting, unloading to approved municipal dumping ground or approved by	_	per		
20	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by truck of 5cum				
	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. Two or more coats on new work	100	sqm	92.75	9275
4.5	Two coats	100	sqm	137.45	13745
	to achieve even shade and colour.			107.6	40=
	litre, of approved brand and manufacture, including applying additional coats wherever required,				
18	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/				
	floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid	2	each	6515.55	13033
	conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and				
	litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever),				
17	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10				
	like scaffolding etc. as per the direction of engineer-in-charge.	180	sqft	70.00	12600
16	P/f reinforced fibre sheet of 2mm thickness i/c fixing with self drilling srews, making all necessary arrangements				
15	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete. Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides	50	sqm	1133.55	56678
1.5	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works Providing & fiving fly proof wire gaves to windows, clarestory windows & doors with M.S. Flat 15v3 mm and puts &	250	кg	172.60	43150
	priming coat of approved steel primer using structural steel etc. as required.	250	1.	472.60	42454
14	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a				
	rafters and trusses and including cutting to size and shape wherever required.	50	sqm	738.65	36933
	with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins,				
	desired by Engineeryin-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm)				
	Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as				
	in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns.				
	Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277,				
	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by				

Subject to be following terms & conditions:-
1. The work shall be executed as per CPWD specifications.
2. Income Tax, work Tax & work cess as per norms shall be recovered from the bill.
3. 1% water and electrical charges will be recovered from the bill if supplied by the Department.
4. The work shall start within 7 days from the date of award and complete within 60 days failing which a penalty @ 1% per day delay will be imposed on the bill
amount maximum upto 10%.
5. All the materials, laboures, T&P etc. required will be arranged by the firms itself.
6. Any other item to be required at site to complete the work will be executed as per the lowest quoted rates.
7. The Director, IARI has the right to reject any or all the quotation/tenders without assigning any reason.

Technical Officer

I/c(W) &

Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this e-Procurement Portal

- 1. Bidder should do Online Enrolment in this Portal using the option Click Here to Enroll available in the Home Page. Then the Digital Signature enrolment has to be done with the e-token, after logging into the portal. The e-token may be obtained from one of the authorized Certifying Authorities such as eMudhraCA/GNFC/IDRBT/MtnlTrustline/SafeScrpt/TCS.
- 2. Bidder then logs into the portal giving user id / password chosen during enrolment.
- 3. The e-token that is registered should be used by the bidder and should not be misused by others.
- 4. DSC once mapped to an account cannot be remapped to any other account. It can only be Inactivated.
- 5. The Bidders can update well in advance, the documents such as certificates, purchase order details etc., under My Documents option and these can be selected as per tender requirements and then attached along with bid documents during bid submission. This will ensure lesser upload of bid documents.
- 5. After downloading / getting the tender schedules, the Bidder should go through them carefully and then submit the documents as per the tender document, otherwise, the bid will be rejected.
- 7. The BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant coulmns, else the bidder is liable to be rejected for that tender. Bidders are allowed to enter the Bidder Name and Values only.
- 8. If there are any clarifications, this may be obtained online through the e-Procurement Portal, or through the contact details given in the tender document. Bidder should take into account of the corrigendum published before submitting the bids online.
- 9. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender schedule and they should be in PDF/XLS/RAR/DWF formats. If there is more than one document, they can be clubbed together
- 10. Bidder should arrange for the EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission date and time for the tender
- 11. The bidder reads the terms and conditions and accepts the same to proceed further to submit the bids.
- 12. The bidder has to submit the tender document(s) online well in advance before the prescribed time to avoid any delay or problem during the bid submission process.
- 13. There is no limit on the size of the file uploaded at the server end. However, the upload is decided on the Memory available at the Client System as well as the Network bandwidth available at the client side at that point of time. In order to reduce the file size, bidders are suggested to scan the documents in 75-100 DPI so that the clarity is maintained and also the size of file also gets reduced. This will help in quick uploading even at very low bandwidth speeds.
- 14. It is important to note that, the bidder has to Click on the Freeze Bid Button, to ensure that he/she completes the Bid Submission Process. Bids Which are not Frozen are considered as Incomplete/Invalid bids and are not considered for evaluation purposes.
- 15. In case of Offline payments, the details of the Earnest Money Deposit(EMD) document submitted physically to the Department and the scanned copies furnished at the time of bid submission online should be the same otherwise the Tender will be summarily rejected.
- 16. The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
- 17. The bidder may submit the bid documents online mode only, through this portal. Offline documents will not be handled through this system.
- 18. At the time of freezing the bid, the e-Procurement system will give a successful bid updation message after uploading all the bid documents submitted and then a bid summary will be shown with the bid no, date & time of submission of the bid with all other relevant details. The documents submitted by the bidders will be digitally signed using the e-token of the bidder and then submitted.
- 19. After the bid submission, the bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening event.
- 20. Successful bid submission from the system means, the bids as uploaded by the bidder is received and stored in the system. System does not certify for its correctness.
- 21. The bidder should see that the bid documents submitted should be free from virus and if the documents could not be opened, due to virus, during tender opening, the bid is liable to be rejected.
- 22. The time that is displayed from the server clock at the top of the tender Portal, will be valid for all actions of requesting bid submission, bid opening etc., in the e-Procurement portal. The Time followed in this portal is as per Indian Standard Time (IST) which is GMT+5:30. The bidders should adhere to this time during bid submission.
- 23. All the data being entered by the bidders would be encrypted at the client end, and the software uses PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission and not viewable by any one until the time of bid opening. Overall, the submitted bid documents become readable only after the tender opening by the authorized individual.
- 24. During transmission of bid document, the confidentiality of the bids is maintained since the data is transferred over secured Socket Layer(SSL) with 256 bit encryption technology. Data encryption of sensitive fields is also done.
- 25. The bidders are requested to submit the bids through online eProcurement system to the TIA well before the bid submission end date and time (as per Server System Clock.

The following documents (Scan copy) must be furnished upload with the technical bid failing which tender will not be accepted at all.

- 1. GST/ PAN card copy
- 2. Registration certificate of CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt .
- 3. Certificate declaring that the firm has not been debarred/Black listed by the Govt. Deptt./Court of law for doing any business in India.
- 4. Receipt of deposition of original EMD
- 5. Bid Security Declaration Document
- 6. The tender documents duly signed by the concerned firm accepting the same should be attached with technical bid.
- 7. The firm should have experience of two similar nature of works in last three years. Firm should submit experience certificate with work orders in support.

Prescribed format of receipt of deposition of original EMD:-

	Receipt of deposition of original EMD (Receipt No/date/
1.	Name of work
2.	NIT No
3.	Amount of Earnest Money Deposit
4.	Last date of submission of bid
5.	Agency Name
6.	EMD No. & Date
7.	EMD Amount & Last Date

This receipt shall also be uploaded to the CPP Portal by the intending bidder upto the specified bid submission date and time.

Tender Cell, ME Unit

FORMAT OF BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMD (On Bidders Letter head)

participati	ng in the subject tender No
>	That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.
>	That in the event we withdraw/modify our bid during the period of validity or I/we fail to execute formal contract agreement within the given timeline or I/we fail to submit a Performance Security within the given timeline or I/we commit any breach of Tender Conditions/ Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of ME Unit, Directorate, IARI, New Delhi-11012 for a period of one year from the date of committing such breach.
	Signature and Seal of Authorised Signatory of bidder
	Name of Authorized Signatory
	Company Name

CERTIFICATE TO BE SIGNED BY THE TENDERER

It is certified that I have read and understood and will comply with all instructions contained in Terms & conditions of this tender documents. All pages submitted with this tender document from						
					page to have been filled properly and signed with seal of the firm/company.	
Signature of tend	erer:					
Name in block le	tters:					
Name of firm:						
Full address:						
	i)	Telephone No.:				
	ii)	Mobile No.:				
	iii)	Fax No.:				
	iv)	Email ID :				

Signature of Tenderer with office seal